

ROUGH TERRAIN CRANE **REX25RT**



FOCUSED ON SAFETY

The easy-to-use and very intuitive load control system provides the operator with the necessary information. As standard, REX25 RT crane is equipped with additional cameras with a display in the cabin, which improves the visibility around the machine. Outriggers monitoring maximizes safety on construction site.



COMFORT OF WORK



CONTROL AND SAFETY

**Air conditioned
operator's cabin**

PNEUMATICALLY ADJUSTABLE SEAT

**Rated capacity limiter
COBO 3B6**

OUTRIGGERS POSITION MONITORING




VERSATILE COMPACT CRANE

DESIGNED TO MEET YOUR NEEDS

Are you involved in construction business, are you a manufacturer of large prefabricated elements, are you building halls or houses? You need the crane that can do the job, and can easily reach construction site. REX25 RT rough terrain crane, thanks to its hydraulic 4x4 drive, easily moves over difficult terrain.

PERFECT OFF-ROAD ABILITIES

REX25 RT can carry the load suspended on a hook [up to 3.5 tons]. Thanks to three driving modes and compact dimensions, the REX25 RT gets the job done quickly and effortlessly. In 4-wheel coordinated mode, the turning radius is just 1.5 meters.



LOAD CHART

The tabulated lifting capacities comply with CE standard EN 13000.

Working radius [m]	OUTRIGGERS FULLY EXTENDED, 360° [t]				
	7,7	11,8	15,8	19,9	24
2,5	25,0	-	-	-	-
3	24,0	18,0	17,5	-	-
3,5	22,1	17,7	17,3	-	-
4	17,8	17,3	17,0	14,4	-
4,5	13,9	16,1	16,7	13,5	-
5	10,1	14,6	16,0	12,7	11,5
6	-	13,2	14,5	11,1	10,6
7	-	10,8	11,8	9,7	9,7
8	-	8,5	9,4	8,5	8,7
9	-	-	7,6	7,4	7,7
10	-	-	6,3	6,6	6,6
11	-	-	5,3	5,5	5,6
12	-	-	4,5	4,9	4,8
13	-	-	3,8	4,2	4,2
14	-	-	-	3,6	3,7
15	-	-	-	3,2	3,2
16	-	-	-	2,8	2,7
17	-	-	-	2,4	2,3
18	-	-	-	-	2,0
19	-	-	-	-	1,7
20	-	-	-	-	1,5
21	-	-	-	-	1,3

Constant lifting characteristics over 360°.



CONTROL PRECISION

BASIC PARAMETERS

LIFTING CAPACITY [t]

OUTREACH [m]

HYDRAULIC DRIVE

ENGINE [kW]

DIMENSIONS [mm]

25

24

4x4

STAGE V, 95

8270x2500*x3150 H

*2740 WITH OFF-ROAD TIRES

Multifunctional joysticks

PROPORTIONAL MOTION CONTROL

ONE CRANE - MANY POSSIBILITIES

4 independently driven wheels, three driving modes, the pick&carry ability, those are just a few standard functions of REX25 RT.

Versatility is a synonym of success That is why we have equipped our crane with additional lattice jib extension and man basket.



STANDARD FEATURES

- ✓ OUTRIGGERS PRESSURE INDICATOR
- ✓ DEUTZ DIESEL ENGINE TCD 3.6 L4 EURO NORM STAGE V
- ✓ RATED CAPACITY LIMITER COBO 3B6 FOR WORK SAFETY
- ✓ OFF-ROAD TIRES SIZE 445/65 R 22.5



REX25 RT EXTRA FEATURES

- SELF-LEVELING MAN BASKET
- RADIO CONTROL
- INSULATED MAN BASKET
- HIGH VOLTAGE SENSOR
- LATTICE-JIB EXTENSION L=13M



SCAN THE
QR CODE
TO SEE
THE VIDEO

<https://youtu.be/MBn7DI-RF5E>



ONE CRANE - MANY POSSIBILITIES

The REX25 TC crane has the same lifting and outreach characteristics as its brother REX25 RT, but by being build up on the truck chassis, the entire crane can easily and quickly move between remote locations.

rexmobilecrane.nl

VERSATILITY

GREATER OUTREACH

Self leveling
man basket

RADIO CONTROL

Additional lattice
jib extension

INCREASED OUTREACH TO 37 M



ZBUD LTD, MADE IN EU
ŻABIŃSKA 6, 33-200 DĄBROWA TARNOWSKA, POLAND.

COPYRIGHT ©2022 ZBUD. ALL RIGHTS RESERVED. REPRODUCTION AND COPYING OF ANY PART OF CONTENTS IS NOT ALLOWED FOR ANY PURPOSES WITHOUT ZBUD'S APPROVAL.

ZBUD.COM.PL

PRODUCT SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AND OBLIGATION. THE PHOTOGRAPHS AND/OR DRAWING IN THIS DOCUMENT ARE FOR ILLUSTRATIVE PURPOSE ONLY. PLEASE CONSULT YOUR LOCAL DEALER FOR MORE INFORMATION.